ELSEVIER

Chemical Physics 235 (1998) 333–335

Chemical Physics

Author index to volume 235

Ankerhold, J., see Pechukas, P. 235 (1998) 5

Bartussek, R., see Reimann, P. 235 (1998) 11
Basilevsky, M.V., A.V. Soudackov and A.I. Voronin, Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region 235 (1998) 281
Berezhkovskii, A.M., V.Yu. Zitserman, D.-Y. Yang and S.H. Lin, Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant 235 (1998) 201
Berezhkovskii, A.M., see Talkner, P. 235 (1998) 131
Beržanskis, A., see Gaižauskas, E. 235 (1998) 123
Blumen, A., see Sokolov, I.M. 235 (1998) 39
Borromeo, M., see Cattuto, C. 235 (1998) 51
Brey, J.J., see Drozdov, A.N. 235 (1998) 147
Burshtein, A.I. and A.Yu. Sivachenko, Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion 235 (1998) 257

Caratti, G., R. Ferrando, R. Spadacini and G.E. Tommei, The Kramers problem in 2D-coupled periodic potentials 235 (1998) 157
Cardin, F., see Moro, G.J. 235 (1998) 189
Cattuto, C., M. Borromeo and F. Marchesoni, Thermal decay of a metastable elastic string 235 (1998) 51

Devoret, M.H., see Turlot, E. 235 (1998) 47
Drozdov, A.N. and J.J. Brey, On the role of the energy loss in turnover theories of activated rate processes 235 (1998) 147

Egorov, S.A., see Everitt, K.F. 235 (1998) 115
Esteve, D., see Turlot, E. 235 (1998) 47
Everitt, K.F., S.A. Egorov and J.L. Skinner, Vibrational energy relaxation in liquid oxygen 235 (1998) 115

Feigel'man, M.V. and A.I. Larkin, Quantum superconductor–metal transition in a 2D proximity-coupled array 235 (1998) 107
Feller, K.-H., see Gaižauskas, E. 235 (1998) 123
Ferrando, R., see Caratti, G. 235 (1998) 157
Fox, R.F., see Thorwart, M. 235 (1998) 61

Gaižauskas, E., A. Beržanskis and K.-H. Feller, Effects of non-Markovian relaxation in the femtosecond differential absorption spectra 235 (1998) 123
Grabert, H., see Turlot, E. 235 (1998) 47
Graf, P. and A. Nitzan, Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point 235 (1998) 297

PII: S0301-0104(98)00227-4

Hänggi, P., see Reimann, P. 235 (1998) 11
Hänggi, P., see Shao, J. 235 (1998) 81

Jung, P., see Thorwart, M. 235 (1998) 61

Kostur, M., see Kula, J. 235 (1998) 27
Kula, J., M. Kostur and J. Łuczka, Brownian transport controlled by dichotomic and thermal fluctuations 235 (1998) 27

Larkin, A.I., see Feigel'man, M.V. 235 (1998) 107
Lin, S.H., see Berezhkovskii, A.M. 235 (1998) 201
Linkwitz, S., see Turlot, E. 235 (1998) 47
Łuczka, J., see Kula, J. 235 (1998) 27

Marchesoni, F., see Cattuto, C. 235 (1998) 51
Morelli, J. and D.J. Tannor, Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials 235 (1998) 213
Moro, G.J. and F. Cardin, Saddle point avoidance due to inhomogeneous friction 235 (1998) 189

Nitzan, A., see Graf, P. 235 (1998) 297
Nordio, P.L., see Polimeno, A. 235 (1998) 313

Ovchinnikov, A.A. and K.A. Pronin, Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field 235 (1998) 93

Pechukas, P. and J. Ankerhold, Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions 235 (1998) 5
Polimeno, A., G. Saielli and P.L. Nordio, A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases 235 (1998) 313
Pollak, E., see Talkner, P. 235 (1998) 131
Pronin, K.A., see Ovchinnikov, A.A. 235 (1998) 93

Reese, S.K. and S.C. Tucker, Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath 235 (1998) 171
Reimann, P., R. Bartussek and P. Hänggi, Reaction rates when barriers fluctuate: A singular perturbation approach 235 (1998) 11
Reimann, P., see Thorwart, M. 235 (1998) 61
Rips, I., Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium 235 (1998) 243

Saielli, G., see Polimeno, A. 235 (1998) 313
Schuss, Z. and A. Spivak, Where is the exit point? 235 (1998) 227
Shao, J., C. Zerbe and P. Hänggi, Suppression of quantum coherence: Noise effect 235 (1998) 81
Shushin, A.I. and M. Tachiya, Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit 235 (1998) 267
Sivachenko, A.Yu., see Burshtein, A.I. 235 (1998) 257
Skinner, J.L., see Everitt, K.F. 235 (1998) 115
Sokolov, I.M. and A. Blumen, Thermodynamical and mechanical efficiency of a ratchet pump 235 (1998) 39
Soudackov, A.V., see Basilevsky, M.V. 235 (1998) 281

Spadacini, R., see Caratti, G. 235 (1998) 157
Spivak, A., see Schuss, Z. 235 (1998) 227

Tachiya, M., see Shushin, A.I. 235 (1998) 267
Talkner, P., E. Pollak and A.M. Berezhkovskii, Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules 235 (1998) 131
Tannor, D.J., see Morelli, J. 235 (1998) 213
Thorwart, M., P. Reimann, P. Jung and R.F. Fox, Quantum hysteresis and resonant tunneling in bistable systems 235 (1998) 61
Tommei, G.E., see Caratti, G. 235 (1998) 157
Tucker, S.C., see Reese, S.K. 235 (1998) 171
Turlot, E., S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert, High frequency satellites in resonant activation 235 (1998) 47

Urbina, C., see Turlot, E. 235 (1998) 47

Voronin, A.I., see Basilevsky, M.V. 235 (1998) 281

Yang, D.-Y., see Berezhkovskii, A.M. 235 (1998) 201

Zerbe, C., see Shao, J. 235 (1998) 81
Zitserman, V.Yu., see Berezhkovskii, A.M. 235 (1998) 201

ELSEVIER

Chemical Physics 235 (1998) 337–343

Chemical Physics

Subject index to volume 235

Methods and constructs

Theoretical

Spin states and magnetic interactions

Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Reactive molecular dynamics including dissipative processes

Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267
Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Molecular dynamics of many particle systems and condensed phases

Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115
Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123
Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

PII: S0301-0104(98)00228-6

Migration and interaction on grids and lattices
Quantum superconductor–metal transition in a 2D proximity-coupled array, M.V. Feigel'man and A.I. Larkin 235 (1998) 107

Statistical computational methods (incl. Monte Carlo)
Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Fluctuations and random processes
Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions, P. Pechukas and J. Ankerhold 235 (1998) 5
Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11
Brownian transport controlled by dichotomic and thermal fluctuations, J. Kula, M. Kostur and J. Łuczka 235 (1998) 27
Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227

Non-equilibrium statistical mechanics
Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11
Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39
Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227
Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243

Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Theory of critical behavior
Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51

Time and space correlation functions
A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313

Experiment

Magnetic resonances
High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47

Ultrafast measurements
Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257

Nonlinear optics and spectroscopy
Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123

Objects

Bulk systems

Gases
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131

Liquids neat
Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115

Liquid mixtures and solutions
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281
Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Crystals
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

-neat
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Complex fluids
A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313

Semiconductors
High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47

Thin films
Quantum superconductor–metal transition in a 2D proximity-coupled array, M.V. Feigel'man and A.I. Larkin 235 (1998) 107

Dielectrics
A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313

Biological systems
Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions, P. Pechukas and J. Ankerhold 235 (1998) 5

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157

Molecules (neutral and ionic)
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

-diatomic
Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115

Molecular aggregates
Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123

Biological assemblies, cells and organelles
Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39

Proteins
Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11

Phenomena

Electronic structure and states
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Electric and magnetic properties
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Energy transfer processes
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171

Molecular photophysical processes
Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115
Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123

Photochemistry
Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257

Intramolecular dynamics
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131

-vibrational energy redistribution (incl. vibrational dissociation)
Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243

Nonlinear responses (incl. optical)
Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61

Reactions (incl. dissociation)
Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

-collisional
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131

-condensed phase
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243
Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Tunneling
High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47
Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Electron transfer
Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

Molecular motion (incl. diffusive)
Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39
Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313
Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Fluctuations and noise
Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11

Brownian transport controlled by dichotomic and thermal fluctuations, J. Kula, M. Kostur and J. Łuczka 235 (1998) 27
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157
Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227

Thermodynamic and transport properties
Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39